IN THE CLAIMS

Please cancel claims 27-30.

Please amend Claims 1-6, 9-12, 13-16, 19-22, and 24-30 in accordance with the following rewritten claims in clean form. Applicant includes herewith an Attachment for Claim Amendments showing a marked-up version of each amended claim.

- 1. (AMENDED) A method of fabricating a self-assembled monolayer of a substance on a substrate comprising depositing the substance on the substrate using compressed carbon dioxide as a solvent medium for the substance.
- 2. (AMENDED) A method as claimed in claim 1, wherein at least one of pressure and temperature of the compressed carbon dioxide is selectively controlled so as to enhance a density of the self-assembled monolayer on the substrate.
- 3. (AMENDED) A method as claimed in claim 1 comprising the use of a cosolvent in combination with the compressed carbon dioxide.
- 4. (AMENDED) A method as claimed in claim 3, wherein the co-solvent comprises at least one of H₂O, CH₃OH, CF₃OH, CF₃CH₂OH, CF₃CF₂OH, (CF₃)₂CHOH, CH₄, C₂H₄, C₂F₆, CHF₃ CCIF₃, C₂H₆, SF₆, Propylene, Propane, NH₃, Pentane, ⁱPrOH, MeOH, EtOH, ⁱBuOH, Benzene, and Pyridine.

- 5. (AMENDED) A method as claimed in claim 1, wherein the substrate comprises a metallic substance.
- 6. (AMENDED) A method as claimed in claim 5, wherein the metallic substance comprises at least one of gold, silver, copper, iron, mercury, palladium, gallium arsenide, ferrous oxide, and indium tin oxide.
 - 9. (AMENDED) A method as claimed in claim 7, wherein X comprises a thiol.
- 10. (AMENDED) A method as claimed in claim 7, wherein Y comprises a CF₃ functional group.
- 11. (AMENDED) A method as claimed in claim 7, wherein m and n lie within a range of 1 to 20.
- 12. (AMENDED) A method as claimed in claim 11, wherein m and n lie within a range of 5 to 10.
- 14. (AMENDED) A method as claimed in claim 7, wherein Y further comprises at least one of vinyl, styryl, acryloyl, methacryloyl and alkyne in combination with a spacer group.
 - 15. (AMENDED) A method as claimed in claim 14, wherein the spacer group

comprises at least one of CH2 and CF2.

- 16. (AMENDED) A method as claimed in claim 1, wherein the substrate comprises at least one glass, mica, SiO₂, Al₂O₃, and Ga₂O₃.
- 19. (AMENDED) A method as claimed in claim 18, wherein Si comprises at least one of SiCl₃, Si(OCH₃)₃, Si(OCH₂CH₃)₃, Si(OCH₃)₂Cl and Si(CH₂CH₃)₂Cl.
- 20. (AMENDED) A method as claimed in claim 17, wherein Y comprises a CF₃ functional group.
- 21. (AMENDED) A method as claimed in claim 17, wherein m and n lie within a range of 1 to 20.
- 22. (AMENDED) A method as claimed in claim 21, wherein m and n lie within a range of 5 to 10.
- 24. (AMENDED) A method as claimed in claim 17, wherein Y further comprises at least one of vinyl, styryl, acryloyl, methacryloyl and alkyne in combination with a spacer group.
- 25. (AMENDED) A method as claimed in claim 24, wherein the spacer group comprises at least one of CH₂ and CF₂.

26. (AMENDED) A method as claimed in claim 17, wherein the self-assembled monolayer has an ellipsometry thickness of about 30Å and a water contact angle of about 110°.